

# HP Designjet 4500 Printer series



Maximize productivity with the HP Designjet 4500 Printer series: Large input and output capacity for unattended printer operation plus optional high performance scanning/copying make it the ideal color production system for technical applications.

# Unattended color production at low cost

- Large input and output capacity. The HP Designjet 4500
   Printer series has large, flexible input capacity, with two
   rolls to allow for different media types or sizes, as well as
   fast automatic roll switching and long roll support up to 575
   ft/175 m. It also features large output capacity, with an
   optional stacker capable of flattening and stacking up to
   200 plots.
- New high-capacity HP 90 Black Ink Cartridge (775 ml) and 3-ink cartridge multipack. The HP Designjet 4500 Printer series provides greater convenience and fewer interruptions for environments that produce a high volume of line drawings. 3-ink cartridge multipacks and value packs for each color lower the overall printer costs.
- No need for trimming with small margin printing. Readyto-use prints: The HP Designjet 4500 Printer series creates CAD prints with 0.2 in/5 mm margins so there's no need for trimming.
- Low support costs. Count on the world-renowned reliability
  of HP printers and printing supplies to reduce your support
  costs and increase uptime.

#### Superior lines and images

- Accurate lines and high image quality. With the ability to deliver up to 2400 x 1200 dpi and 0.1% line accuracy, the HP Designjet 4500 Printer series creates sharp, professionalquality images. And patented dye-based color and pigment-based black HP inks produce accurate lines and images to perfect the job.
- HP Professional Color Technologies. The HP Designjet 4500 Printer series helps you get the right colors on the first print by employing a range of HP's Professional Color Technologies, including: enhanced sRGB printing and Adobe RGB, Closed Loop Color, TIFF and JPEG with embedded ICC profiles, offset emulation, HP CMYK Plus, Black Point compensation, and PANTONE® calibration (PS only).
- Exceptional output quality enabled by HP media. HP
  Universal Inkjet Bond paper features industry-leading
  whiteness for a value bond paper with crisp line resolution
  and high color-contrast prints. Use HP Super Heavyweight
  Plus Matte Paper to deliver ripple-free, photorealistic graphics
  at productive printer speeds and an affordable price and HP
  Universal Instant-dry Photo Media for immediate lamination
  and post-printing processing, saving time and money.

### Double your print capacity<sup>1</sup>


- HP Double Swath Technology twice the performance in color and black-and-white? Two long-life HP printheads for each color deliver a wide print swath and a higher firing frequency that enables fast printing. Get 2 D/A1-size prints in color and black-and-white in less than 1 minute.<sup>2</sup> The embedded processor delivers fast, simultaneous processing and printing up to 100 D/A1-size prints per hour.<sup>3</sup>
- Driverless multi-file printing. Save time with the driverless multi-file printing workflow that is operating system independent and simply requires a TCP/IP connection and a standard Web browser. Experience support for a wide range of formats, including TIFF, JPEG, CALS/G4, HP-RTL, HP-GL/2, as well as Adobe® PostScript® Level 3™ and PDF 1.5 to help you quickly and accurately finish any job.
- Fast, simultaneous processing. Experience fast, simultaneous processing and printing thanks to the embedded processor.
   This robust series comes equipped with 256 MB of memory that can be expanded up to 512 MB for excellent performance on even your most complex jobs.

#### Easy-to-use integrated solution

- Integrated copy system. The integrated copy system of the HP Designjet 4500mfp features real-time printer, media, and queue information in the scanner user interface along with copy accounting in the printer, and copy job priority capability.
- Outstanding copy and scan performance. With scan speeds
  of 3 inches per second color and 10 inches per second
  black-and-white, 2 D/A1-size prints in less than 1 minute<sup>2</sup>,
  and excellent image quality (508 dpi optical resolution
  and up to 9600 dpi enhanced resolution), the HP Designjet
  4500mfp delivers outstanding copy and scan performance.
- Remote printer management and extended accounting support. The HP Designjet 4500 Printer series comes with the HP Embedded Web Server, which lets you remotely manage printer, ink, and media usage. Plus, you can generate detailed usage reports by job, user, project, or even type of print and automatically send them for remote usage tracking or easy and accurate billing.
- Compared to any HP Designjet 600/700/800/1000 Printer series
- 2 Mechanical printing time. Printed in Fast mode on HP Bright White Inkjet Paper (Bond). Speed indicated is maximum printer speed.
- 3 Multi-copy printing; total printing time.

# HP Designjet 4500 Printer series

- 1. Ink supplies of 225 and 400 ml for CMY, and 400 and 775 ml for K.
- 2. Accommodates 2 media rolls with long roll support up to 575 ft/175 m.
- 3. Front panel with user-friendly animations.
- 4. Color consistency and screento-print matching with HP Professional Color Technologies.
- 5. Pairs of staggered printheads in the carriage mean the HP Designjet 4500 Printer series has double the print capacity of earlier models.\*
- 6. HP Embedded Web Server for driverless file submission, queue management, preview, supplies and printer status, and error notification.
- 7. HP Embedded Jetdirect Print Server 10/100Base-T + 2 IEEE 1394 (FireWire®) ports.
- 8. EIO port for optional Jetdirect cards.
- 9. Embedded processor for simultaneous printing and processing. 256 MB memory expandable to 512 MB and 40 GB hard disk
- 10. Equipped with a standard bin that holds 25 D/A1-size prints. An optional stacker is capable of flattening and stacking up to 200 plots.
- \* Compared to any HP Designjet 600/700/800/ 1000 Printer











5 mm margins



HP Double Swath Technology

10.

# HP Designjet 4500 Printer series at

#### **HP Designjet 4500 Printer**

- Ink supplies of 225 and 400 ml for CMY, 400 and 775 ml

## HP Designjet 4500ps Printer

• Embedded RIP for Adobe PostScript 3, Adobe PDF 1.5

#### HP Designjet 4500mfp Printer

# a glance

#### Optional accessories

- HP Designjet 4500 Scanner (comes as standard with HP Designjet 4500mfp)

- HP Designjet 256 MB Memory Upgrade
- HP Jetdirect 620n Fast Ethernet Print Server

#### Optional service and support

- HP Installation Service (1 unit)
- HP Network Installation Service (1 unit)

# "With the Designjet 4500 you don't need to constantly check on the printer, instead you can do something else. We easily save 6 to 12 hours a week because of this."

John Jury, Director, Reprograffix

# Full flexibility from the HP Designjet 4500 Printer series



# More functionality with the HP Designjet 4500mfp

With scan speeds of 3 inches per second color and 10 inches per second black-and-white, 2 D/A1-size prints in less than 1 minute<sup>1</sup>, and excellent image quality (508 dpi optical resolution and up to 9600 dpi enhanced resolution), the HP Designjet 4500mfp delivers outstanding copy and scan performance

The Designjet's integrated copy system features real-time printer, media, and queue info in the scanner user interface, copy accounting in the printer, and copy job priority capability.

Integration with the printer enables excellent copy quality and performance.

An easy-to-use touchscreen, easy color calibration, and easy print settings for printing sets make scanning and copying exceptionally user-friendly.

It is easy to integrate with a wide variety of industry leading third-party applications such as scan, raster-to-vector-conversion or document management.

This MFP is fully compatible. Easily print scanned documents directly to almost any HP Designjet printer<sup>2</sup>. Built-in scanto-network capabilities foster productivity with fewer steps. Easily save scanned files in PDF, TIFF, JPEG2000, and DWF file formats.

# HP Designjet 4500 Stacker (optional)

The HP Designjet 4500 Stacker collects up to 200 D/A1 or E/A0 size plots and automatically flattens them, keeping them organized until you can gather them. Print unattended runs during business hours—and get more done—or overnight.

Free up production staff to work on multiple projects at once.

Free up production staff to work on multiple projects at once.
The HP Designjet 4500 Stacker handles large black-and-white or color jobs without intervention. Unattended printing allows users to get more done.

Save time and collect your valuable, high-impact output as it prints with the HP Designjet 4500 Stacker. When you're ready to gather your output, it will be organized and waiting for you.

Neatly and cleanly collects all sizes and weights of printable media supported by the HP Designjet 4500 Printer series<sup>3</sup>, including HP Universal Inkjet Bond paper, HP Super Heavyweight Plus Matte Paper, and HP Universal Instant-dry Photo Media.

- Mechanical printing time. Printed in Fast mode on HP Bright White Inkjet Pape (Bond). Speed indicated is maximum printer speed.
- (2 Full compatible with HP Designjet 500, 800, 1000, 4000, 4500, 5000, 5500 T610, T1100, Z2100, Z3100, Z6100 series products.
- (3 Stacker performance may vary depending on the media used

# HP Designjet 4500 Printer series

int speed	25 sec D/A1-size 1, 93 m²/hr², 1000 ft²/hr², up to 100 D/A1-size prints per hour 3
esolution, maximum	Up to 2400 x 1200 optimized dpi
ne accuracy	+/- 0.1% 4
int margins	1, 5.1.75
	0.0 (5 (6 10 0.45 (125 (14 10 0.45 (15 14 10 0.45 (1
Тор	0.2 in/5 mm (Small); 0.45 in/11.5 mm (Normal); 2.1 in/55 mm (Extended)
Bottom	0.2 in/5 mm (Small and Normal); 2.1 in/55 mm (Extended)
Side	0.2 in/5 mm (Small and Normal); 0.6 in /15 mm (Extended)
inter media	(
Thickness	Up to 0.157 in/0.4 mm
Weight	0.11 to 0.72 lb/50 to 328 g/m <sup>2</sup>
Size	Rolls up to 42 in/1067 mm wide
int	
	100
Technology	HP Thermal Inkjet
Technology resolution	HP Color Layering technology, HP PhotoREt III
Print cartridge colors	Black, cyan, magenta, yellow
Ink types	Black pigmented, CMY dye-based
Ink drop	
'	5 pl color, 15 pl black
an <sup>s</sup>	
Speed	Color (200 dpi/400 dpi Turbo): 3 in/sec (76 mm/sec)
	Black-and-white (200 dpi/400 dpi Turbo): 10 in/sec (254 mm/sec)
Resolution	
Resolution	Best mode: color and black-and-white 300 x 300 dpi
	Normal mode: color and black-and-white 200 x 200 dpi
	Draft mode: color and black-and-white 150 x 150 dpi
	Enhanced mode: color and black-and-white 9600 x 9600 dpi, with variable resolution settings from
	50 dpi in increments of 1 dpi
	· ·
Max. Scan Width	42 in/1067 mm
Max. Scan Thickness	0.6 in /15 mm
emory	256 MB (upgradeable to 512 MB), 40 GB hard disk
edia Handling	250 mb (opgraduations of 2 mb), no obtained and
Printers	Two automatic rolls, automatic roll-switching, automatic cutter
Scanner <sup>5</sup>	Straight-through scan paper path for sheet and cardboard originals
edia Types	
Printers	Dance (along inhight posted home priciple sected array home priciple sected semi-class class, translations
Tilliers	Paper (plain, inkjet, coated, heavyweight coated, super heavyweight coated, semi-gloss, glossy, translucent
	bond, natural tracing, photo, vellum), film.
Scanner <sup>5</sup>	Non-abrasive paper, vellum, mylar, sepia, blueprints, plastic, film, plastic laminate, foam board, cardboard,
	plywood, no stone plates, no metal plates nor abrasive dirty, rough, sharp edged, metal clamped, burned surface
Stacker	
Sidekei	Paper (plain, inkjet, coated, heavyweight coated, super heavyweight coated, semi-gloss, translucent bond,
	natural tracing, photo, vellum) °
onnectivity	
Interfaces Standard: Printers	1 EIO slot, embedded Jetdirect, Fast Ethernet (10/100 Mbps), FireWire (IEEE 1394a-compliant)
Interfaces Standard: Scanner <sup>5</sup>	1 Fast Ethernet 10/100 Base-TX
Interfaces Optional	HP Jetdirect 620n LAN Card, HP Jetdirect 40d Gigabit Print Server for the HP Designjet 4000 Printer series
illeriaces Optional	
	HP Designjet 4000 Printer series Hi-speed USB 2.0 card
Drivers (included)	HP-GL/2, HP-RTL Windows drivers, PS Windows drivers (HP Designjet 4500ps Printer and HP Designjet
	4500mfp only), Optimized Windows driver for AutoCAD 2000 and higher, support for Citrix MetaFrame
	environments, PS driver for Mac OS X
int languages (standard)	
4500	HPGL/2, HPRTL, TIFF, JPEG, CALS G4
4500ps & 4500mfp	Adobe PostScript 3, Adobe PDF 1.5, HP-GL/2, HP-RTL,TIF, JPEG, CALS G4
imensions (h x d x w)	,
Maximum Printer	74 21 5 52 2 :- /1020 000 1250
	76 x 31.5 x 53.2 in / 1930 x 800 x 1350 mm
Maximum Scanner <sup>5</sup>	70.8 x 40.2 x 54.3 in/1800 x 1020 x 1380 mm
Maximum Stacker	50.63 x 61.77 x 44.69 in /1286 x 1569 x 1135 mm
Shipping Printer	83.9 x 30.5 x 52 in (EMEA), 83.9 x 30.5 x 74.4 in (CA, LAR, NA, AP)/ 2130 x 775 x 1320 mm (EMEA),
	2130 x 775 x 1890 mm (CA, LAR, NA, AP)
Shipping Scanner <sup>5</sup>	75.2 x 27.2 x 28.7 in /1910 x 690 x 730 mm
Shipping Stacker	55.1 x 31.9 x 23.6 in / 1400 x 810 x 23.6 mm
/eight	
Printer	400 lb / 105 lm
	408 lb/185 kg
Scanner <sup>5</sup>	204 lb/92.5 kg
Stacker	116.84 lb/53 kg
Shipping Printer	501.1 lb (EMEA), 600.3 lb (CA, LAR, NA, AP) /227.3 kg (EMEA), 272.3 kg (CA, LAR, NA, AP)
Shipping Scanner <sup>5</sup>	316 lb/143.5 kg
Shipping Stacker	143.3 lb/65 kg
hat's in the box	
HP Designjet 4500/4500ps	LID Designated 4500 Printer steam and healest ecosmbly will be also a second to the se
The Designier 4500/4500ps	HP Designjet 4500 Printer, stand and basket assembly, roll module, setup poster, documentation and drivers CD, G
	Reference Guide and holder, media sample, maintenance kit, power cord, 3-in spindle adaptor (x4), printheads (x
	printhead cleaners (x8), ink cartridges (x4), ink cartridge insert, ink printhead insert, Customer Service Guide
HP Designjet 4500mfp	All the features mentioned above, plus HP Designjet 4500 Scanner, scanner stand, touchscreen (panel PC),
Designer 4500mp	
	keyboard, power cables, FireWire cables (x2), media guides (x2), maintenance sheet, system recovery DVD,
	maintenance kit, plastic dust cover, scanner setup poster, scanner Quick Reference Guide

(2 Color image, Bandas, dam, jog, based on plain paper, 41.53 x 42.36 in/1055 x 10/0 mm (past mose), Upsinize for rest/uravirings, waximum ue-ui — uii
3 Multi-copy printing; total printing limite.

(4 ± 0.1% of the specified vector length or ± 0.1 mm (whichever greater) at 23° C (73° F), 50-60% relative humidity, on E/AD printing material in Best or Normal mode with HP Matte Film.

(5 The HP Designjet 4500 Stacker series does not support films, including HP Clear Film and HP Matte Film or other media with long dyring time.

Environmental ranges	
Operating temperature	41 to 104° F/5 to 40° C
Recommended operating temperature	59 to 86° F/15 to 30° C
Storage temperature	-4 to 131° F/-20 to 55° C
Operating humidity	20 to 80% RH
Recommended humidity	25 to 75% RH
Acoustic	
Sound pressure, active	46 dB(A)
Sound pressure, standby	41 dB(A)
Sound power, active	6.3 B(A)
Sound power, standby	5.8 B(A)
Power consumption	
Maximum	500 watts, 800 watts(5
Power requirements	
Printers	Input voltage 100 to 127 V ac ( $\pm$ /- 10%), 6 amp; 220 to 240 V ac ( $\pm$ /- 10%), 3 amp; 50/60 Hz ( $\pm$ /- 3 Hz); auto range
Scanner	100 to 240 V ac (+/- 10%), auto range, 50/60 Hz, 5 amp maximum <sup>s</sup>
Power certification	
Safety certification	Compliant with IEC 60950, including EU IVD and EN60950, CSA-certified for US and Canada, Mexico NYCE, Argentina IRAM,
	Singapore PSB, Russia VNIIS, NEMKO, China CCC, Taiwan BSMI
Electromagnetic compatibility	Compliant with Class A requirements, including EU (EMC Directive), US (FCC rules), Canada (DoC), Australia (ACA), New Zealand
	(MoC), Japan (VCCI), Korea (MIC), Taiwan (BSMI) ENERGY STAR® qualified models; see: http://www.hp.com/go/energystar
Massants	

Service and support - Care packs
HP Designjet 4500 and 4500ps

LD631A/E: 3 year Next-Day Onsite - onsite next day support LD634A/E: 3 year 9x5 Same-Day Onsite - onsite support in 4 hours LD637A/E: 3 year 9x5 Same-Day Onsite - onsite support in 4 hours LD647BA/E: 3 Next day onsite - 1 Near post warranty LD641BA/E: 9x5 Same-day onsite - 1 Near post warranty LD644BA/E: 3 year Next-Day Onsite - onsite next day support LD644A/E: 3 year Next-Day Onsite - onsite support in 4 hours LD647A/E: 3 year 9x5 Same-Day Onsite - onsite support in 4 hours LD847BA/E: 3 year 13x5 Same-Day Onsite - onsite support in 4 hours LD847BA/E: 3 year 13x5 Same-Day Onsite - onsite support in 4 hours LD847BA/E: 3 year 13x5 Same-Day Onsite - onsite support in 4 hours LD847BA/E: 3 year 13x5 Same-Day Onsite - Near post warranty LD898PBA/E: 5x5 Same-day onsite - 1 Near post warranty LD899PBA/PE: 13x5 Same-day onsite - 1 Near post warranty

Ordering information

More HP media sizes and weights available at: www.hp.com/go/designjet/supplies











© 2004, 2008 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. PANITONE is the property of Pantone, Inc. Adobe and PastScript 3 are trademarks of Adobe Systems Incorporated. FireWire is a trademark of Apple Computer, Inc., registered in the U.S. and other countries. ENERGY STAR and the ENERGY STAR mark are registered u.S. marks. Windows is a U.S. registered trademark

www.hp.com/go/designjet4500



HP Designjet 4500mfp